

**COSUMNES SUBBASIN
PROJECT / MANAGEMENT ACTION
INFORMATION FORM**

P/MA ID:	BASIN/MANAGEMENT AREA (if any):
TITLE:	
DESCRIPTION¹:	
EXPECTED ANNUAL BENEFIT (demand reduction or supply augmentation, in acre-feet per year):	
AGENCY(s): Primary/Lead: _____ Supporting: _____	
LOCATION: <input type="checkbox"/> Check here if Basin-wide Township / Range: _____ Coordinates (Latitude / Longitude): _____ Description: _____	
AFFECTED SUSTAINABILITY INDICATOR (check all that apply): <input type="checkbox"/> Chronic Lowering of Groundwater Levels <input type="checkbox"/> Reduction of Groundwater Storage <input type="checkbox"/> Seawater Intrusion <input type="checkbox"/> Degraded Water Quality <input type="checkbox"/> Land Subsidence <input type="checkbox"/> Depletions of Interconnected Surface Water	
TYPE (check all that apply): <input type="checkbox"/> Water Supply Augmentation <input type="checkbox"/> Surface Water <input type="checkbox"/> Groundwater (Recharge) <input type="checkbox"/> Recycled Water <input type="checkbox"/> Transfer <input type="checkbox"/> Stormwater <input type="checkbox"/> Other Source of Outside Water (if applicable): _____ <input type="checkbox"/> Water Demand Reduction <input type="checkbox"/> Conservation <input type="checkbox"/> Land / Water Use Changes <input type="checkbox"/> Infrastructure / Capital Project <input type="checkbox"/> Policy Project <input type="checkbox"/> Data Gap Filling / Monitoring <input type="checkbox"/> Water Quality Improvement <input type="checkbox"/> Other: _____	

¹ Please continue to next page or attach additional pages to this form as necessary

COSTS & FUNDING SOURCE(s):

Capital / Up-front (\$): _____

Source(s): _____

O&M / On-going (\$ per year): _____

Source(s): _____

REGULATORY / LEGAL AUTHORITY REQUIREMENTS (describe all that apply):

Permits (name of authority, type of permit): _____

CEQA: _____

Other: _____

SCHEDULE / TIMING:

Implementation Trigger(s): _____

Termination Trigger(s): _____

Timeframe to Accrue Expected Benefits: _____

ADDITIONAL DETAILS (as necessary):